

INGROUND SWIMMING POOLS

1. 2 copies of property survey - showing square footage of plot
2. Certificate of Compliance application form in duplicate
3. Swimming Pool application form in duplicate
4. Nassau County Department of Assessors form in duplicate
5. 2 copies of the plans and specifications
6. Statement by Engineer or Homeowner that swimming pool water will be disposed of on applicant's property only.
7. Application in duplicate for fence according to code for swimming pool - if there is not a proper fence existing. (self-lock gate)
8. Fee - varies - to be determined by Building Inspector after review.

ABOVE GROUND SWIMMING POOLS

1. 2 copies of property survey
2. Permit application form in duplicate
3. 2 copies of the plan
4. Statement by Homeowner that swimming pool water will be disposed of on applicant's property only.
5. Application in duplicate for fence according to code for swimming pools - if there is not a proper fence existing. (self-lock gate)
6. Fee varies - to be determined by Building Inspector after review.

FENCES

1. Fence application in duplicate - fence erected according to code.
2. 2 copies of survey
3. Fee of \$20.00

TREES

1. Permit application in duplicate. (Building Inspector to determine if tree removal is valid)
2. Survey of property in duplicate

SWIMMING POOLS


ALL SWIMMING POOLS SHALL BE LOCATED AS TO CONFORM WITH THE ZONE REQUIREMENTS:

<u>ZONE</u>	<u>SIDE YARD MINIMUM DISTANCE (feet)</u>	<u>REAR YARD MINIMUM DISTANCE (feet)</u>
RESIDENCE "A"	6	6
RESIDENCE "B"	6	6
RESIDENCE "C"	6	6
RESIDENCE "D"	10	10
RESIDENCE "E"	14	14
RESIDENCE "F"	14	14

ALL ABOVE DIMENSIONS ARE MINIMUM DISTANCES FROM PROPERTY LINES TO THE POOL.

ALL POOLS MUST HAVE A MINIMUM DISTANCE OF TEN (10) FEET BETWEEN THE POOL WALL AND THE FOUNDATION OF ANY HABITABLE STRUCTURE.

NO POOL SHALL BE CONSTRUCTED IN ITS ENTIRETY OR IN PART ON ANY PORTION OF THE PROPERTY THAT IS DESIGNATED AS A FRONT YARD IN ACCORDANCE WITH THE ZONING ORDINANCE OF THE INCORPORATED VILLAGE OF BAYVILLE. IN THE EVENT OF A CORNER PLOT, THE MINIMUM SETBACK FROM A PROPERTY LINE BORDERING ANY STREET SHALL BE THE SAME AS THAT IMPOSED FOR A FRONT YARD REQUIREMENT.



**DEPARTMENT OF STATE
DIVISION OF CODE ENFORCEMENT AND ADMINISTRATION**

General Code, E.A.C.'s, Laws & R's

(c) **Pool alarms.** Except as otherwise provided in subdivision (e) of this section, each residential swimming pool installed, constructed or substantially modified after December 14, 2006 and each commercial swimming pool installed, constructed or substantially modified after December 14, 2006 shall be equipped with an approved pool alarm which:

(1) is capable of detecting a child entering the water and giving an audible alarm when it detects a child entering the water;

(2) is audible poolside and at another location on the premises where the swimming pool is located;

(3) is installed, used and maintained in accordance with the manufacturer's instructions;

(4) is classified by Underwriters Laboratory, Inc. (or other approved independent testing laboratory)

§3109
SWIMMING POOL ENCLOSURES

§3109.1 General. Swimming pools shall comply with the requirements of this section and other applicable sections of this code.

§3109.2 Definition. The following word and term shall, for the purposes of this section and as used elsewhere in this code, have the meaning shown herein.

SWIMMING POOLS. Any structure intended for swimming, recreational bathing or wading that contains water over 24 inches (610 mm) deep. This includes in-ground, aboveground and on-ground pools; hot tubs; spas and fixed-in-place wading pools.

§3109.3 Public swimming pools. Public swimming pools shall be completely enclosed by a fence at least 4 feet (1290 mm) in height or a screen enclosure. Openings in the fence shall not permit the passage of a 4-inch (102 mm) diameter sphere. The fence or screen enclosure shall be equipped with self-closing and self-latching gates.

§3109.4 Residential swimming pools. Residential swimming pools shall comply with §3109.4.1 through §3109.4.3.

EXCEPTION: A swimming pool with a power safety cover or a spa with a safety cover complying with ASTM F 1346.

§3109.4.1 Barrier height and clearances. The top of the barrier shall be at least 48 inches (1219 mm) above grade measured on the side of the barrier which faces away from the swimming pool. The maximum vertical clearance between grade and the bottom of the barrier shall be 2 inches (51 mm) measured on the side of the barrier which faces away from the swimming pool. Where the top of the pool structure is above grade the barrier is authorized to be at ground level or mounted on top of the pool structure, the maximum vertical clearance between the top of the pool structure and the bottom of the barrier shall be 4 inches (102 mm).

§3109.4.1.1 Openings. Openings in the barrier shall not allow passage of a 4-inch (102 mm) diameter sphere.

§3109.4.1.2 Solid barrier surfaces. Solid barriers which do not have openings shall not contain indentations or protrusions except for normal construction tolerances and tooled masonry joints.

§3109.4.1.3 Closely spaced horizontal members. Where the barrier is composed of horizontal and vertical members and the distance between the tops of the horizontal members is less than 45 inches (1143 mm), the horizontal members shall be located on the swimming pool side of the fence. Spacing between vertical members shall not exceed 1.75 inches (44 mm) in width. Where there are decorative cutouts within vertical members, spacing within the cutouts shall not exceed 1.75 inches (44 mm) in width.

§3109.4.1.4 Widely spaced horizontal members. Where the barrier is composed of horizontal and vertical members and the distance between the tops of the horizontal members is 45 inches (1143 mm) or more, spacing between vertical members shall not exceed 4 inches (102 mm). Where there are decorative cutouts within vertical members, spacing within the cutouts shall not exceed 1.75 inches (44 mm) in width.

§3109.4.1.5 Chain link dimensions. Maximum mesh size for chain link fences shall be a 2.25 inch square (57 mm square) unless the fence is provided with slats fastened at the top or the bottom which reduce the openings to no more than 1.75 inches (44 mm).

§3109.4.1.6 Diagonal members. Where the barrier is composed of diagonal members, the maximum opening formed by the diagonal members shall be no more than 1.75 inches (44 mm).

§3109.4.1.7 Gates. Access gates shall comply with the requirements of §3109.4.1.1 through §3109.4.1.6 and shall be equipped to accommodate a locking device. Pedestrian access gates shall open outwards away from the pool and shall be self-closing and have a self-latching device. Gates other than pedestrian access gates shall have a self-latching device. Where the release mechanism of the self-latching device is located less than 54 inches (1372 mm) from the bottom of the gate, the release mechanism shall be located on the pool side of the gate at least 3 inches (76 mm) below the top of the gate, and the gate and barrier shall have no opening greater than 0.5 inch (12.7 mm) within 18 inches (457 mm) of the release mechanism.

§3109.4.1.8 Dwelling unit wall as a barrier. Where a wall of a dwelling serves as part of the barrier, one of the following shall apply:

1. Doors with direct access to the pool through that wall shall be equipped with an alarm which produces an audible warning when the door and its screen are opened. The alarm shall sound continuously for a minimum of 30 seconds immediately after the door is opened and be capable of being heard throughout the house during normal household activities. The alarm shall automatically reset under all conditions. The alarm shall be equipped with a manual means to temporarily deactivate the alarm for a single opening. Such deactivation shall last no more than 15 seconds. The deactivation switch shall be located at least 54 inches above the threshold of the door.
2. The pool shall be equipped with a power safety cover which complies with ASTM F 1346.
3. Other means of protection, such as self-closing doors with self-latching devices, which are approved by the administrative authority shall be accepted so long as the degree of protection afforded is not less than the protection afforded by §3109.4.1.8, Item 1 or 2.

§3109.4.1.9 Pool Structure as Barrier. Where an aboveground pool structure is used as a barrier or where the barrier is mounted on top of the pool structure, and the means of access is a ladder or steps, then the ladder or steps either shall be capable of being secured locked or removed to prevent access, or the ladder or steps shall be surrounded by a barrier which meets the requirements of §3109.4.1.1 through §3109.4.1.8. When the ladder or steps are secured, locked, or removed, any opening created shall not allow the passage of a 4-inch-diameter (102 mm) sphere.

§3109.4.2 Indoor swimming pools. Walls surrounding indoor swimming pools shall not be required to comply with §3109.4.1.8.

§3109.4.3 Prohibited locations. Barriers shall be located so as to prohibit permanent structures, equipment or similar objects from being used to climb the barriers.

INCORPORATED VILLAGE OF BAYVILLE
APPLICATION FOR SWIMMING POOL PERMIT
(Pursuant to Chapter 80 - ARTICLE XV
of the VILLAGE CODE OF BAYVILLE)

PERMIT NO. _____
FEE _____
SEC. _____ BLK. _____
LOT(S) _____ ZONE _____

Application to be filled out in duplicate and accompanied by two copies of a survey showing the location of the proposed pool, two copies of detailed drawings of the construction of the proposed pool. Indicate on plot plan below location of pool with respect to property lines and structures on property.

OWNER: NAME _____
ADDRESS _____
TELEPHONE NO. _____


CONTRACTOR: NAME _____
ADDRESS _____
TELEPHONE NO. _____

INSURANCE: WORKERS COMPENSATION POLICY # _____
INSURANCE COMPANY _____

DESCRIPTION OF PROPOSED POOL _____

ESTIMATED COST OF PROPOSED POOL: \$ _____

PLOT PLAN



SIGNATURE

INCORPORATED VILLAGE OF BAYVILLE

PERMIT NO. _____

APPLICATION FOR FENCE PERMIT

FEE \$ 20.00 _____

(Pursuant to Chapter 80-61 of the Code of the Village of Bayville)

SECTION _____ BLOCK _____

LOT _____ ZONE _____

APPLICATION TO BE FILLED OUT IN DUPLICATE AND ACCOMPANIED BY TWO (2) COPIES OF A SURVEY OF PROPERTY.

OWNER: NAME _____

ADDRESS _____

TEL. NO. _____


CONTRACTOR: NAME _____

ADDRESS _____

TEL. NO. _____

DESCRIBE TYPE OF FENCE TO BE ERECTED _____

PLOT PLAN



PLOT PLAN

SIGNATURE OF APPLICATE



**BUILDING PERMIT
RESIDENTIAL PROPERTY
DEPARTMENT OF ASSESSMENT
NASSAU COUNTY**

240 Old Country Road, Mineola, NY 11501

TOWN - CITY - VILLAGE OF: _____

NBHD# (ASSESSOR USE ONLY)

DATE REC'D (ASSESSOR USE ONLY)

SECTION	BLOCK	LOT (S)	SCH DIST #	PERMIT #	SPECIFIC ZONING DESIGNATION

Location of Building: N.E.S.W. SIDE OF (OR CORNER OF) _____ N.E.S.W. SIDE OF _____

ADDRESS OF PROPERTY: _____ Check one: OWNER OR LESSEE NAME OF BUSINESS: _____

CITY, TOWN, VILLAGE: _____ ZIP: _____ CONTACT PERSON/OWNER: _____

ESTIMATED COST OF CONSTRUCTION: _____ ADDRESS: _____ CITY, STATE, ZIP: _____

WORK MUST BEGIN BY: _____ PRINCIPLE TYPE OF CONSTRUCTION: STEEL MASONRY FRAME PHONE: _____ PERMIT EXP DATE: _____ EMAIL: _____

LOT SIZE S.F.: _____ # BLDGS ON LOT: _____ IF YOU WISH TO GROUP OR APPORTION LOTS PLEASE CALL 516-571-1500 FOR FURTHER INFORMATION

DETAILED DESCRIPTION OF WORK (PLEASE PRINT CLEARLY) INCLUDING, BUT NOT LIMITED TO: LOCATION, TYPE AND DIMENSIONS OF IMPROVEMENT

PERMIT TYPE - CHECK ALL ITEMS THAT APPLY	DOES RESIDENCE HAVE THE FOLLOWING
<input type="checkbox"/> NEW BUILDING <input type="checkbox"/> ADDITION (CHANGE IN S.F.) <input type="checkbox"/> DEMOLITION <input type="checkbox"/> ALTERATION (NO CHANGE IN S.F.) <input type="checkbox"/> MAINTAIN (PRE-EXISTING) <input type="checkbox"/> RECONSTRUCTION <input type="checkbox"/> DECK, TERRACE, PORCH, CARPORT <input type="checkbox"/> DORMERS <input type="checkbox"/> OTHER _____	CENTRAL AIR YES <input type="checkbox"/> NO <input type="checkbox"/> FINISHED ATTIC YES <input type="checkbox"/> NO <input type="checkbox"/> BASEMENT FINISH 1/4 <input type="checkbox"/> 1/2 <input type="checkbox"/> 3/4 <input type="checkbox"/> FULL <input type="checkbox"/>
<input type="checkbox"/> FIRE DAMAGE <input type="checkbox"/> GARAGE/ OUT BUILDING <input type="checkbox"/> HVAC <input type="checkbox"/> PLUMBING <input type="checkbox"/> RELOCATION <input type="checkbox"/> REPLACEMENT <input type="checkbox"/> SWIMMING POOL <input type="checkbox"/> TENNIS COURT <input type="checkbox"/> CHANGE IN USE	

PROPOSED TOTAL PLUMBING FIXTURES

FLOOR/FIXTURE	BASEMENT	1ST FLOOR	2ND FLOOR	3RD FLOOR
BATHROOM SINK				
TOILET				
BATHTUB				
STALL SHOWER				
BIDET				
KITCHEN SINK				
WET BAR				

NUMBER OF EXISTING AND PROPOSED BATHS

NUMBER OF EXISTING FULL BATHS		NUMBER OF PROPOSED FULL BATHS	
NUMBER OF EXISTING HALF BATHS		NUMBER OF PROPOSED HALF BATHS	

HALF BATH EQUALS TWO FIXTURES, FULL BATH EQUALS THREE OR MORE FIXTURES

NEW C/O NEEDED YES NO

VARIANCE OBTAINED YES NO

CONSTRUCTION/RENOVATION IN EXCESS OF 50% YES NO

SURVEY ENCLOSED YES NO

PLEASE ATTACH ALL PERMITS & SURVEY IF AVAILABLE

DATE OF GRANTING OF PERMIT _____ Signature of Applicant/Contact Person - Sign & Print _____

SEPARATE APPLICATION SHALL BE MADE FOR EACH BUILDING

Address of Applicant/Contact Person _____ Telephone _____

FIELD REPORT ON REVERSE

TOWN _____
SCHOOL DISTRICT _____
SECTION _____
BLOCK _____
LOT(S) _____
CA # OR BLDG # _____
UNIT # _____
DATE _____

Application For
Certificate of Compliance
INCORPORATED VILLAGE OF BAYVILLE
NASSAU COUNTY, NEW YORK

Certificate No.	Date
Issued	
Mailed }	
Delivered }	

(Do Not Write in This Space)

To the Building Inspector,
Village Hall, Bayville, N. Y.

Sir:

The undersigned, as owner, or agent for owner, respectfully requests that final inspection be made and a Certificate of Occupancy be issued for the (new-altered) building located at

No.

.....

.....

Building Permit No.

Electrical Certificate No. (hereto attached)

.....

Signed

Address

No Certificate of Occupancy will be issued unless Application is accompanied by Final Electrical Certificate of the New York Board of Fire Underwriters. Any false statements made herein shall be punishable as a misdemeanor pursuant to the provisions of Penal Law No. 210.45.