

Table of Contents

Table of Contents	1
MS4 Annual Report/Interim Progress Certification 2026	2
(Submission #: HQJ-CHY0-P5C2M, version 1)	2
Details	2
Form Input	2
MS4 Operator Information	2
Part IV	2
Part V	3
Part VI	3
Part VIII	12
Part IX	14
Interim Progress Status	14
Certification	14
Attachments	15
Status History	15
Processing Steps	15

MS4 Annual Report/Interim Progress Certification 2026

version 1.1

(Submission #: HQJ-CHY0-P5C2M, version 1)

Details

Submitted 3/26/2026 (0 days ago) by Angelica Apolinaris

Alternate Identifier NYR20A304

Submission ID HQJ-CHY0-P5C2M

Status Deemed Complete

Form Input

MS4 Operator Information

Permit ID #:
NYR20A304

Municipality Name or Legal Entity Name
Village of Bayville

Report Preparer

Report Preparer Title	First and Last Name	Phone	Email
Other: Consultant	Angelica Apolinaris	631-756-8000	aapolinaris@h2m.com

MS4 Operator Type
Traditional land use control

Part IV

Was the information in this section completed as part of a coalition/group?
Yes

MS4 General Permit Resources

Use the following webpages for more information on the permit and fact sheet:

[MS4 Permit Webpage](#)

[MS4 Toolbox](#)

SWMP Plan

Annually: Have the alternative implementation agreements in the SWMP Plan been updated? (Part IV.A.1.e.)
Yes

Annually: Has the SWMP been updated? (Part IV.B.3.)
Yes

Mapping

Annually: Has the comprehensive system mapping been updated? (Part IV.D.)

Yes

What tools are used to satisfy the comprehensive system mapping requirements? (e.g. paper maps, GIS, web mappers, etc.)

GIS

Within three (3) years of the EDC: Has Phase I of the comprehensive mapping been completed? (Part IV.D.2.a.)

No

Please clarify the reason for selecting "No" for this item.

Phase I of the comprehensive mapping is not due at this time. Phase I of the comprehensive mapping will be complete on or before three (3) years of the EDC.

Within five (5) years of the EDC: Has Phase II of the comprehensive mapping been completed? (Part IV.D.2.b.)

No

Please clarify the reason for selecting "No" for this item.

Phase II of the comprehensive mapping is not due at this time. Phase II of the comprehensive mapping will be complete on or before five (5) years of the EDC.

Legal Authority

Within three (3) years of the EDC: For newly designated MS4 Operators, has adequate legal authority been developed and implemented? (Part IV.E.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

The Village of Bayville is not a newly designated MS4 Operator. The Village of Bayville is continuing coverage from previous iterations of the permit and therefore, legal authority is being maintained in accordance with Part IV.E.1.

Enforcement Tracking

This reporting year, how many enforcement actions were undertaken for illicit discharges (e.g. verbal warnings, citations, stop work orders)? (Part IV.F.2.)

1.0

This reporting year, how many enforcement actions were undertaken for construction sites (e.g. verbal warnings, citations, stop work orders)? (Part IV.F.2.)

0.0

This reporting year, how many enforcement actions were undertaken for post-construction SMPs (e.g. verbal warnings, citations, stop work orders)? (Part IV.F.2.)

0.0

Please enter any comments related to the questions in this section below:

The Village conducted an investigation into a potential illicit discharge at Piccolo Cantina Bay Restaurant. The investigation confirmed the need for corrective action, and enforcement was initiated in accordance with the Village's Illicit Discharge Detection and Elimination procedures. As a result, the impacted cesspool/grease trap was pumped and cleaned on December 31, 2025 by a licensed contractor. Supporting documentation, including site photographs and a copy of the cleanup invoice, has been obtained and is maintained on file

Part V

In Year 5: Has the SWMP Plan been evaluated? (Part V.C.)

Yes

Part VI

Which MCMs in this Part were completed as a coalition/group, if any?

MCM 1

MCM 2

Minimum Control Measure 1

Within three (3) years of the EDC: Have the focus areas been identified? (Part VI.A.1.a.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Identifying focus areas is not due at this time. Focus areas will be identified on or before three (3) years of the EDC.

Within three (3) years of the EDC: Have the target audience(s) and associated pollutant generating activities been identified? (Part VI.A.1.b.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Identifying target audiences and associated pollutant generating activities is not due at this time. Target audiences and associated pollutant generating activities will be identified on or before three (3) years of the EDC.

Within three (3) years of the EDC: Have the education and outreach topics been identified and how the education and outreach topics will reduce the potential for pollutants explained? (Part VI.A.1.c.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Identifying education and outreach topics is not due at this time. The topics will be identified on or before three (3) years of the EDC. At that time, the Village will also describe how each selected topic will help reduce potential pollutants.

In Year 5: Has the method(s) used for distribution of educational messages been identified? (Part VI.A.2.a.)

Yes

What is the method(s) used for distribution of educational messages?

Electronic materials (e.g., websites, email listservs)

Social Media (e.g., Facebook, Twitter, blogs)

Displays in public areas (e.g., town halls, library, parks)

Printed materials (e.g., mail inserts, brochures, and newsletters)

Workshops or focus groups

In Year 5: Has one educational message been delivered to each target audience(s) for each focus area based on the education and outreach topic(s)? (Part VI.A.2.b.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Once focus areas and associated target audiences are identified (due on or before three [3] years of the EDC), educational messages will be delivered to each target audience.

In Year 4 and Year 5: Have target audiences, focus areas, and/or education and outreach topics been updated? (Part VI.A.2.c.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Once focus areas and associated target audiences are identified (due on or before three [3] years of the EDC), focus areas, target audiences and education/outreach topics will be reviewed and updated annually.

Please enter any comments related to the questions in this section below:

NONE PROVIDED

Minimum Control Measure 2

Annually: Has an opportunity for public involvement/participation in the development and implementation of the SWMP been provided? (Part VI.B.1.a.)

Yes

What was the opportunity for public involvement/participation in the SWMP?

Coordination with other pre-existing public involvement/participation opportunities
Reporting concerns about activities or behaviors observed
Public hearings or meetings

Annually: Has the public been informed about the opportunity for their involvement in the development and implementation of the SWMP and how they can get involved? (Part VI.B.1.b.)

Yes

What is the method(s) used for distribution to inform the public of the opportunity for involvement?

Electronic materials (e.g., websites, email listservs)
Printed materials (e.g., mail inserts, brochures and newsletters)
Social Media (e.g., Facebook, Twitter, blogs)

Annually: Has an opportunity to review and comment on the publicly available SWMP Plan been provided? (Part VI.B.2.a.)

Yes

Annually: Has an opportunity to review and comment on the draft annual report been provided? (Part VI.B.2.b.i.)

Yes

What opportunity for review and comment on the draft annual report has been provided?

Posting of draft Annual Report on a public website

Annually: Have the comments received on the SWMP Plan been summarized? (Part VI.B.2.c.i.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Comments have not been received on the SWMP Plan thus far. Should the Village receive comments on the SWMP Plan, they will be summarized in the SWMP Plan.

Annually: Have the comments received on the draft annual report been summarized? (Part VI.B.2.c.i.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Comments have not been received on the draft annual report thus far. Should the Village receive comments on the draft annual report, they will be summarized in the SWMP Plan.

Please enter any comments related to the questions in this section below:

NONE PROVIDED

Minimum Control Measure 3

Within three (3) years of the EDC: Has an inventory of monitoring locations been developed? (Part VI.C.1.c.i.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

The Village has identified monitoring locations. However, the inventory information outlined in Part VI.C.1.c.i.a-c is being developed.

How many MS4 outfalls are on the inventory?

35

How many interconnections are on the inventory?

4

How many municipal facility intraconnections are on the inventory?

5

In Year 4 and Year 5: Has the monitoring location inventory been updated? (Part VI.C.1.c.ii.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

The Village has identified monitoring locations. However, the inventory information outlined in Part VI.C.1.c.i.a-c is being developed. Once the monitoring location inventory has been completed (due on or before three [3] years of the EDC), the inventory will be updated annually.

Within three (3) years of the EDC: Have monitoring locations been prioritized? (Part VI.C.1.d.i.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

The Village has identified monitoring locations and is currently working on their prioritization. The prioritization of monitoring locations will be completed on or before three (3) years of the EDC.

In Year 4 and Year 5: Has the monitoring location prioritization been updated? (Part VI.C.1.d.iii.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

The Village has identified monitoring locations and is currently working on their prioritization. Once the prioritization of monitoring locations has been completed (due on or before three [3] years of the EDC), the prioritization will be updated annually.

Within two (2) years of the EDC: Has a monitoring locations inspection and sampling program been developed and implemented? (Part VI.C.1.e.)

Yes

In Year 5: Every five (5) years following the most recent inspection, have all the monitoring locations been inspected? (Part VI.C.1.e.i.a))

No

Please clarify the reason for selecting "No" or "N/A" for this item.

The Village inspected 100% of its monitoring locations between July 2023 and December 2023. The Village will inspect all monitoring locations during the new permit term.

Every five (5) years following the most recent inspection, how many monitoring locations have been inspected?

0

In Year 5: Has training on the MS4 Operator's monitoring locations inspection and sampling procedures been provided? (Part VI.C.1.e.ii.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due at this time. Training will be provided before Village staff conduct monitoring locations inspections and sampling procedures.

In Year 3, Year 4, and Year 5: Have the names, titles, and contact information for the individuals who have received monitoring locations inspection and sampling training been updated? (Part VI.C.1.e.iii.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due at this time. Once training is provided, the names, titles, and contact information for the individuals who have received monitoring locations inspection and sampling training will be updated.

In Year 3, Year 4, and Year 5: Have the monitoring locations inspection and sampling procedures been updated? (Part VI.C.1.e.iv.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due at this time as it was not the third year of the permit term. The Village's monitoring locations inspection and sampling procedures were updated and documented in the Village's SWMP Plan during the Jan 3rd, 2025 - Jan 2nd, 2026 reporting period. These procedures will be updated annually moving forward.

Within two (2) years of the EDC: Has an illicit discharge track down program been developed and implemented? (Part VI.C.2.)

Yes

In Year 5: Has training on the MS4 Operator's illicit discharge track down procedures prior to conducting illicit discharge track down been provided? (Part VI.C.2.b.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due at this time. Training will be provided before Village staff conduct illicit discharge track down procedures.

In Year 3, Year 4, and Year 5: Have the names, titles, and contact information for the individuals who have received illicit discharge track down procedures training been updated? (Part VI.C.2.c.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due at this time. Once training is provided, the names, titles, and contact information for the individuals who have received illicit discharge track down training will be updated.

In Year 3, Year 4, and Year 5: Have the illicit discharge track down procedures been reviewed and updated? (Part VI.C.2.d.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due at this time as it was not the third year of the permit term. The Village's illicit discharge track down procedures were updated and documented in the Village's SWMP Plan during the Jan 3rd, 2025 - Jan 2nd, 2026 reporting period. These procedures will be updated annually moving forward.

Within two (2) years of the EDC: Has an illicit discharge elimination program been developed and implemented? (Part VI.C.3.)

Yes

In Year 5: Has training on the MS4 Operator's illicit discharge elimination procedures prior to conducting illicit discharge elimination been provided? (Part VI.C.3.b.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due at this time. Training will be provided before Village staff conduct illicit discharge elimination procedures.

In Year 3, Year 4, and Year 5: Have the names, titles, and contact information for the individuals who have received illicit discharge elimination procedures training been updated? (Part VI.C.3.c.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due at this time. Once training is provided, the names, titles, and contact information for the individuals who have received illicit discharge elimination training will be updated.

In Year 3, Year 4, and Year 5: Have the illicit discharge elimination procedures been reviewed and updated? (Part VI.C.3.d.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due at this time as it was not the third year of the permit term. The Village's illicit discharge elimination procedures were updated and documented in the Village's SWMP Plan during the Jan 3rd, 2025 - Jan 2nd, 2026 reporting period. These procedures will be updated annually moving forward.

Please enter any comments related to the questions in this section below:

NONE PROVIDED

Minimum Control Measure 4

Within one (1) year of the EDC: Has a construction oversight program been developed and implemented? (Part VI.D.3)

Yes

In Year 5: Has training on the MS4 Operator's construction oversight procedures prior to conducting construction oversight been provided? (Part VI.D.3.b.)

Yes

How many individuals were trained on the MS4 Operator's construction oversight procedures?

1

In Year 2, Year 3, Year 4, and Year 5: Have the names, titles, and contact information for the individuals who have received construction oversight procedures training been updated? (Part VI.D.3.c.)

Yes

In Year 2, Year 3, Year 4, and Year 5: Have the construction oversight procedures been reviewed and updated? (Part VI.D.3.e.)

Yes

Annually: Has the inventory of construction sites been updated? (Part VI.D.4.b.)

Yes

How many construction sites are on the inventory?

1

Within one (1) year of the EDC: Have construction sites been prioritized? (Part VI.D.5.a.)

Yes

In Year 2, Year 3, Year 4, and Year 5: Has the construction site prioritization been updated? (Part VI.D.5.c.)

Yes

How many high priority construction sites are on the inventory?

1

Within three (3) years of the EDC: Have the individuals responsible for reviewing SWPPPs for acceptance received four (4) hours of Department endorsed training in proper erosion and sediment control principles from a Soil & Water Conservation District, or other Department endorsed entity prior to conducting SWPPP reviews and/or approvals? (Part VI.D.6.a.i.)

Yes

Annually: Have the names, titles, and contact information for the individuals who have received four (4) hours of Department endorsed training in proper erosion and sediment control principles from a Soil & Water Conservation District, or other Department endorsed entity, for individuals responsible for reviewing SWPPPs been updated? (Part VI.D.6.d.)

Yes

Are pre-construction meetings conducted prior to the commencement of construction activity? (Part VI.D.7.)

Yes

Within three (3) years of the EDC: Have the individuals responsible for construction site inspections received four (4) hours of Department endorsed training in proper erosion and sediment control principles from a Soil & Water Conservation District, or other Department endorsed entity prior to conducting construction site inspections? (Part VI.D.8.a.i.)

Yes

Annually: Have all sites with construction activity identified in the inventory been inspected during active construction after the pre-construction meeting, or sooner if deficiencies are noted that require attention? (Part VI.D.8.c.)

Yes

Annually: Have the names, titles, and contact information for the individuals who have received four (4) hours of Department endorsed training in proper erosion and sediment control principles from a Soil & Water Conservation District, or other Department endorsed entity, for individuals responsible for construction site inspections been updated? (Part VI.D.8.d.)

Yes

Are final construction site inspections conducted? (Part VI.D.9.)

Yes

Please enter any comments related to the questions in this section below:

NONE PROVIDED

Minimum Control Measure 5

Annually: Has the inventory of post-construction SMPs been updated? (Part VI.E.2.c.)

Yes

How many post-construction SMPs are on the inventory?

4

Within five (5) years of the EDC: Have the required components been included in the post-construction SMP inventory? (Part VI.E.2.d.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due at this time. The Village will incorporate the required components into the post-construction SMP inventory on or before five (5) years of the EDC.

Within one (1) year of the EDC: Has a post-construction SMP inspection and maintenance program been developed and implemented? (Part VI.E.4.)

Yes

Has each post-construction SMP identified in the inventory been inspected at the required frequency? (Part VI.E.4.a.)

Yes

In Year 5: Has training on the MS4 Operator's post-construction SMP inspection and maintenance procedures prior to conducting post-construction SMP inspection and maintenance been provided? (Part VI.E.4.b.)

Yes

How many individuals were trained on the MS4 Operator's post-construction SMP inspection and maintenance procedures?

1

Annually: Have names, titles, and contact information for the individuals who have received post-construction SMP inspection and maintenance procedures training updated? (Part VI.E.4.c.)

Yes

In Year 2, Year 3, Year 4, and Year 5: Have the post-construction SMP inspection and maintenance procedures been reviewed and updated? (Part VI.E.4.d.)

Yes

Please enter any comments related to the questions in this section below:

NONE PROVIDED

Minimum Control Measure 6

Within three (3) years of the EDC: Have best management practices (BMPs) been incorporated into the municipal facility program and municipal operations program? (Part VI.F.1.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

The Village has implemented a majority of BMPs outlined in Part VI.F.1. The Village is on track to implement all of the BMPs outlined in Part VI.F.1 on or before three (3) years of the EDC.

Within three (3) years of the EDC: Has a municipal facility program been developed and implemented? (Part VI.F.2.a.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due at this time. The Village has an existing municipal facilities program as outlined in the Village's SWMP Plan. The Village will incorporate all of the required elements outlined in Part VI.F.2.a of the MS4 General Permit into the Village's existing municipal facilities program on or before three (3) years of the EDC.

In Year 5: Has training on the MS4 Operator's municipal facility procedures prior to conducting municipal facility procedures been provided? (Part VI.F.2.a.ii.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due at this time. Staff are trained on the existing municipal facility procedures outlined in the Village's SWMP. The Village will incorporate all of the required elements outlined in Part VI.F.2.a of the MS4 General Permit into the Village's existing municipal facilities program on or before three (3) years of the EDC. Once the updated municipal facilities program is developed, training on the updated program will be provided.

In Year 4 and Year 5: Have the names, titles, and contact information for the individuals who have received municipal facility procedures training been updated? (Part VI.F.2.a.iii.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due at this time. Staff are trained on the existing municipal facility procedures outlined in the Village's SWMP. The Village will incorporate all of the required elements outlined in Part VI.F.2.a of the MS4 General Permit into the Village's existing municipal facilities program on or before three (3) years of the EDC. Once the updated municipal facilities program is developed, training on the updated program will be provided. Subsequently, the names, titles, and contact information for the individuals who have received the training will be updated annually.

In Year 4 and Year 5: Have the municipal facility procedures been updated? (Part VI.F.2.a.iv.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due at this time. The Village has an existing municipal facilities program as outlined in the Village's SWMP Plan. The Village will incorporate all of the required elements outlined in Part VI.F.2.a of the MS4 General Permit into the Village's existing municipal facilities program on or before three (3) years of the EDC. Once the updated municipal facilities program is developed, the procedures will be reviewed and updated annually.

Within two (2) years of the EDC: Has a municipal facility inventory been developed? (Part VI.F.2.b.i.)

Yes

How many municipal facilities are on the inventory?

10

In Year 3, Year 4, and Year 5: Has the municipal facility inventory been updated? (Part VI.F.2.b.ii.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due at this time.

Within three (3) years of the EDC: Have the municipal facilities been prioritized? (Part VI.F.2.c.i.)

Yes

How many high priority municipal facilities are on the inventory?

4

In Year 4 and Year 5: Has the municipal facility prioritization been updated? (Part VI.F.2.c.iii.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due at this time.

Within five (5) years of the EDC: Has a municipal facility specific SWPPP for each high priority municipal facility been developed? (Part VI.F.2.d.i.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due at this time.

How many municipal facility specific SWPPPs for high priority municipal facilities have been developed?

0

In Year 5: Has all wet weather visual monitoring of the monitoring locations at all high priority municipal facilities been conducted? (Part VI.F.2.d.ii.a))

No

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due at this time.

At how many high priority municipal facilities was wet weather visual monitoring completed?

0

At how many monitoring locations was wet weather visual monitoring completed?

0

In Year 5: Has a comprehensive site assessment for each high priority municipal facility been completed? (Part VI.F.2.d.ii.c))

No

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due at this time.

At how many high priority municipal facilities was a comprehensive site assessment completed?

0

In Year 5: Has a comprehensive site assessment for each low priority municipal facility been completed? (Part VI.F.2.e.ii.c))

No

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due at this time.

At how many low priority municipal facilities was a comprehensive site assessment completed?

0

Within three (3) years of the EDC: Has a municipal operations program been developed? (Part VI.F.3.a.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due at this time. The Village has an existing municipal operations program as outlined in the Village's SWMP Plan. The Village will incorporate all of the required elements outlined in Part VI.F.3.a of the MS4 General Permit into the Village's existing municipal operations program on or before three (3) years of the EDC.

In Year 5: Has training on the MS4 Operator's municipal operations procedures prior to conducting municipal operations been provided? (Part VI.F.3.a.ii.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due at this time. Staff are trained on the existing municipal operations procedures outlined in the Village's SWMP. The Village will incorporate all of the required elements outlined in Part VI.F.3.a of the MS4 General Permit into the Village's existing municipal operations program on or before three (3) years of the EDC. Once the updated municipal facilities program is developed, training on the updated program will be provided.

In Year 4 and Year 5: Have the names, titles, and contact information for the individuals who have received municipal operations procedures training been updated? (Part VI.F.3.a.iii.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due at this time. Staff are trained on the existing municipal operations procedures outlined in the Village's SWMP. The Village will incorporate all of the required elements outlined in Part VI.F.3.a of the MS4 General Permit into the Village's existing municipal operations program on or before three (3) years of the EDC. Once the updated municipal operations program is developed, training on the updated program will be provided. Subsequently, the names, titles, and contact information for the individuals who have received the training will be updated annually.

In Year 4 and Year 5: Have the municipal operations procedures been reviewed and updated? (Part VI.F.3.a.iv.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due at this time. The Village has an existing municipal operations program as outlined in the Village's SWMP Plan. The Village will incorporate all of the required elements outlined in Part VI.F.3.a of the MS4 General Permit into the Village's existing municipal operations program on or before three (3) years of the EDC. Once the updated municipal operations program is developed, the procedures will be reviewed and updated annually.

Within three (3) years of the EDC: Have catch basins in need of inspection been identified? (Part VI.F.3.c.i.)

Yes

Within three (3) years of the EDC: Has catch basin inspection information been inventoried? (Part VI.F.3.c.ii.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

The Village is updating their catch basin inspection form to include the information outlined in Part VI.F.3.c.ii.

In Year 5: Have all streets, bridges, parking lots, and right of ways been swept? (Part VI.F.3.d.i.a))

Yes

Annually: Have all streets in business districts and commercial areas been swept? (Part VI.F.3.d.i.b))

Yes

Within five (5) years of the EDC: Have roads, bridges, parking lots, and right of way maintenance specific BMPs been implemented? (Part VI.F.3.d.ii.)

Yes

Within five (5) years of the EDC: Have winter road maintenance specific BMPs been implemented? (Part VI.F.3.d.iii.)

Yes

Please enter any comments related to the questions in this section below:

NONE PROVIDED

Part VIII

Does the MS4 Operator discharge to an impaired water listed in Appendix C of GP-0-24-001?

Yes

For which pollutant(s) is the waterbody impaired? Select the pollutants for all the impaired waters listed in Appendix C of GP-0-24-001 to which the MS4 Operator discharges.

Pathogens

Nitrogen

Which requirements in this Part were completed as a coalition/group, if any?

MCM 1

Pathogens

Within three (3) years of the EDC: Has the comprehensive system mapping been updated, in a geographic information system (GIS), to include MS4 infrastructure and sewershed information for each MS4 outfall and ADA MS4 outfall discharging to a pathogens impaired water listed in Appendix C? (Part VIII.C.1.a.)

Yes

Within three (3) years of the EDC: Has the comprehensive system mapping been updated, in a geographic information system (GIS), to include the listed items for each MS4 outfall discharging to a pathogens impaired water listed in Appendix C? (Part VIII.C.1.b.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due at this time. The Village will map in GIS the listed items in Part VIII.C.1.b for each MS4 outfall discharging to pathogen impaired waters listed in Appendix C on or before three (3) years of the EDC.

Within three (3) years of the EDC: Has the comprehensive system mapping been updated, in a geographic information system (GIS), to include ADA MS4 outfalls discharging to a pathogens impaired water listed in Appendix C? (Part VIII.C.1.c.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

The Village does not have any ADA outfalls, as the entire municipal boundary is in the MS4 automatically designated area.

Minimum Control Measure 1

In Year 4 and Year 5: Have educational messages with information specific to pathogens been provided? (Part VIII.C.2.b.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due at this time.

Minimum Control Measure 3

Within five (5) years of the EDC: Has the number of each item listed in Part VIII.C.1.b. been included on the MS4 outfall inventory for each associated MS4 outfall? (Part VIII.C.4.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due at this time.

Minimum Control Measure 6

In Year 4 and Year 5: Have all streets located in sewersheds discharging to pathogens impaired segments been swept? (Part VIII.C.7.a.i.)

Yes

Within one (1) year of the EDC: Has the effectiveness of deterrents, population controls, and other measures that may reduce bird related pathogen contributions been evaluated? (Part VIII.C.7.b.iv.)

Yes

Within one (1) year of the EDC: Have dog waste receptacles been made available in areas where pets/domestic animals may frequent? (Part VIII.C.7.c.)

Yes

Nitrogen

Within three (3) years of the EDC: Has the comprehensive system mapping been updated, in a geographic information system (GIS), to include MS4 infrastructure and sewershed information for each MS4 outfall and ADA MS4 outfall discharging to a nitrogen impaired water listed in Appendix C? (Part VIII.D.1.a.)

Yes

Within three (3) years of the EDC: Has the comprehensive system mapping been updated, in a geographic information system (GIS), to include the listed items for each MS4 outfall discharging to a nitrogen impaired water listed in Appendix C? (Part VIII.D.1.b.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due at this time. The Village will map in GIS the listed items in Part VIII.D.1.b for each MS4 outfall discharging to nitrogen impaired waters listed in Appendix C on or before three (3) years of the EDC.

Within three (3) years of the EDC: Has the comprehensive system mapping been updated, in a geographic information system (GIS), to include ADA MS4 outfalls discharging to a nitrogen impaired water listed in Appendix C? (Part VIII.D.1.c.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

The Village does not have any ADA outfalls, as the entire municipal boundary is in the MS4 automatically designated area.

Minimum Control Measure 1

Twice a year, in Year 4 and Year 5: Have educational messages with information specific to nitrogen been provided? (Part VIII.D.2.b.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due at this time.

Minimum Control Measure 3

Within five (5) years of the EDC: Has the number of each item listed in Part VIII.D.1.b. been included on the MS4 outfall inventory for each associated MS4 outfall? (Part VIII.D.4.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due at this time.

Minimum Control Measure 4

How many high priority construction sites discharge to the nitrogen impaired water(s)?

1

Have high priority construction sites that discharge to the nitrogen impaired water(s) been inspected by the MS4 Operator at the required frequency? (Part VIII.D.5.)

Yes

Minimum Control Measure 6

In Year 4 and Year 5: Have all streets located in sewersheds discharging to nitrogen impaired segments been swept? (Part VIII.D.7.a.)

Yes

Please enter any comments related to the questions in this section below:

NONE PROVIDED

Part IX

Does the MS4 Operator discharge to a TMDL listed in Table 3 of GP-0-24-001?

No

Please enter any comments related to the questions in this section below:

NONE PROVIDED

Interim Progress Status

Interim Progress Resources

Use the following webpages for more information on the permit and fact sheet:

[MS4 Permit Webpage](#)

[MS4 Toolbox](#)

Have you reviewed compliance items due within three years of EDC?

Yes

Have you reviewed compliance items due within four years of EDC?

Yes

Have you reviewed compliance items due within five years of EDC?

Yes

Have you reviewed compliance items which need to be completed routinely (annually, every five (5) years, etc.)?

Yes

Please enter any comments related to the questions in this section.

NONE PROVIDED

Certification

The ranking elected official or Principal Executive Officer for the MS4 Operator will be signing the form.

Yes

As the Ranking Elected Official or Principal Executive Officer, please download the certification form using the link

below. Complete and sign the certification. Then, upload the certification form to this Interim Progress Certification and/or Annual Report.

[Certification Form](#)

Attach completed certification form.

MS4 OPERATOR CERTIFICATION FORM MARCH 2026.pdf - 03/26/2026 03:53 PM

Comment

NONE PROVIDED

Attachments

Date	Attachment Name	Context	User
3/26/2026 3:53 PM	MS4 OPERATOR CERTIFICATION FORM MARCH 2026.pdf	Attachment	Angelica Apolinaris

Status History

	User	Processing Status
1/5/2026 2:20:41 PM	Angelica Apolinaris	Draft
3/26/2026 3:54:09 PM	Angelica Apolinaris	Submitting
3/26/2026 3:54:19 PM	Angelica Apolinaris	Submitted
3/26/2026 3:54:19 PM	Angelica Apolinaris	Deemed Complete

Processing Steps

Step Name	Assigned To/Completed By	Date Completed
Form Submitted	Angelica Apolinaris	3/26/2026 3:54:18 PM
Accepted	Angelica Apolinaris	3/26/2026 3:54:19 PM